

2021 SECURITIES INDUSTRY BUSINESS CONTINUITY TEST

Saturday, October 23, 2021

SUMMARY OF RESULTS

Test Led By

Securities Industry and Financial Markets Association



2021 SECURITIES INDUSTRY BCP TEST

October 23, 2021

Summary of Results

Executive Summary

The 2021 test is part of an ongoing industry-driven backup site testing initiative that began in 2003 and is led by Securities Industry and Financial Markets Association (SIFMA)¹.

The 2020 test followed the format of prior industry-wide tests where firms test connectivity and/or submit test orders and transactions from their backup sites to the markets and industry utilities. The test involved components for Equities, Options, Fixed Income, Market Data, Treasury Auctions, Payment Systems, Service Bureaus and FX. The exercise was supported by all major exchanges, markets and industry utilities. Participation in the test was voluntary and results for specific firms, exchanges, markets and utilities are retained in strict confidence by SIFMA.

Participants in the SIFMA test included approximately **100 securities firms** and **80 market organizations**. During the test approximately **1,100 communications connections** were established between securities firms and banks and the exchanges, markets and utilities. **Test transactions on these connections were successful 98% of the time**. These results were generally comparable to prior tests and underscore the ability of the securities industry to operate through adverse conditions. Industry testing to meet the requirements of Regulation Systems Compliance and Integrity (Reg SCI) also took place on October 23, in parallel with the SIFMA industry test. This is the third year in which Reg SCI testing took place alongside the test, which allows for greater efficiency in industry testing, and will occur again in 2022.

This year's test also took place under the unprecedented environment following the COVID-19 pandemic, which resulted in a broad range of changes to operational procedures at firms and industry infrastructure providers, most notably a shift to remote work for most staff. Despite these changes, testing was executed successfully, highlighting the industry's strong commitment to resiliency.

In parallel with the SIFMA test on October 23, the Futures Industry Association led a backup site test of the futures exchanges and clients. The futures test results can be found at the link below:

https://www.fia.org/sites/default/files/2022-02/2021_DR_Test_Results.pdf

¹ The Securities Industry and Financial Markets Association (“SIFMA”) brings together the shared interests of hundreds of securities firms, banks and asset managers. SIFMA’s mission is to support a strong financial industry, investor opportunity, capital formation, job creation and economic growth, while building trust and confidence in the financial markets. SIFMA, with offices in New York and Washington, D.C., is the U.S. regional member of the Global Financial Markets Association (“GFMA”). For more information, visit www.sifma.org.

Test Objectives

1. To assess the ability of securities market participants to operate through a significant emergency from their primary or backup data centers and work area recovery sites and to examine the level of resiliency of the markets and the industry overall.
2. To provide firms and exchanges with an opportunity to test and evaluate their backup sites and backup communications with the markets on a single day.

Markets and Utilities Tested

The 2021 test included components for Equities, Options, Fixed Income, Market Data, Payment Systems, Treasury Auctions, and FX.

Market participants included all major exchanges, markets and industry utilities plus major service bureaus and market data vendors. See **Appendix A** for list of participating market entities. We have continued to increase the scope of participating test entities as additional participants have entered the market, and as we look to further broaden the scope of entities engaged to cover the full range infrastructure and service providers broker dealers rely upon.

Test Format

Participating firms, exchanges, industry utilities, service bureaus and payment banks, operating from either their primary or backup sites (data center and work area recovery), simultaneously connected and/or submitted scripted test transactions to markets and settlement entities and received simulated confirmations. The test was not intended to be a simulation of any specific real event.

Firms and markets were requested to test from backup locations but, in some instances, this was not technically feasible. For a connection between a firm and a market to be considered a valid test interaction, at least one of the entities had to test from a backup site. A number of exchanges and markets and some firms run multiple “hot” sites as a normal data center configuration. In a multiple hot site configuration, order traffic is routed automatically to one or more of the sites and if a site fails, traffic is automatically shifted to the operational sites. This test did not require shutdown of one of the hot sites. However, firms that do run this type of configuration were encouraged to test from their DR site as opposed to remaining in their Primary configuration.

Reg SCI

In parallel with the SIFMA industry testing on October 24, the industry carried out the fourth test program as mandated by Regulation Systems Compliance and Integrity (Reg SCI). Nearly all Reg SCI entities took part in both testing programs, offering connectivity testing to interested firms as well more involved testing requirements for those firms designated as mandated testers under the rule. In

addition, many firms who took part mandated Reg SCI testing also took part in the SIFMA industry test to test their connectivity with other exchanges, as well as for market segments not involved in Reg SCI, such as fixed income, service bureaus, and payments. Due to system constraints around Reg SCI, equity clearance and settlement entities took part in Reg SCI testing but not the SIFMA industry test.

COVID-19 Operating Environment

This year’s test took place in the unprecedented operational environment created by COVID-19. Once the industry shifted to remote operating models and while the future evolution of the pandemic remained uncertain, SIFMA, its members, and participating test entities quickly determined that the industry would be able to continue to hold the test, even if most staff remained in a remote working environment on test day. This proved to be the case, and the test was executed successfully even with all testers and entities operating from a fully or partially remote model.

A survey of a subset of firms had 64% of participants responded that their testing team was fully remote, with 36% responding that the testing team was hybrid – combining staff in office locations and remote. None of the respondents’ testing teams were completely in the office (regular business location or DR location). On the test entity side, a survey of a subset of test entities showed 90% operating fully remote, with the remaining 10% in a hybrid model. None of these entities reported any challenges due to this new operating model on their test execution.

The success of the test under this unprecedented operating environment is a testament to the levels of resiliency the industry has developed.

Test Participants Summary

Exchanges, Markets and Industry Utilities (Equities, Options, FI, Clearing, FX)	54
Securities Firms (Including those testing directly with markets and through service bureaus)	~100
Service Bureaus	12
Market Data Vendors	8
Payment Organizations	2

See Appendix A for a complete list of market entities participating. The names of the participating firms will not be released.

Overall Test Results

There were approximately 1,100 test interactions in the SIFMA test components of which nearly all were successful.

The success rate for 2021 is in line with results for the past few years.

Notes: A test interaction is a successful connection between a firm and an exchange, market, service bureau or utility during the test window. Interactions that experienced issues that were corrected during the test window were counted as successful tests.

Types of Issues Resulting in Unsuccessful Test Transactions

The type of issues noted during this year's test were consistent with issues encountered in prior tests; however the organizations experiencing problems to vary from year to year. Types of problems include:

- ✓ General connectivity issues at firms
- ✓ System specific configuration issues at firms
- ✓ Issues in bringing up backup systems at a test entity

Observations and Conclusions

- This test and prior annual industry tests have consistently achieved extremely positive results that underscore the ability of the industry as a whole to operate through adverse conditions.
- One of the primary values of the annual test is the opportunity it provides for firms and markets to test their backup strategies collectively as an industry.
- The types of problems that caused a small number of failures during this test were not so significant that, during a real event, they could not be addressed fairly quickly with full resources.
- The need for firms to regularly and frequently test their backup connections to market entities is critical and in the few cases where there were issues the test provides a valuable opportunity to uncover them.
- Firms should ensure that appropriate controls are in place to manage changes to applications and hardware that may impact backup site connectivity to markets.
- Robust pretesting and ensuring that correct connectivity and test configuration information is shared across the organization is valuable for the most efficient test day experience
- There was significant value in having providers in DR vs. relying on connections to their Primary systems that are configured as Hot-Hot. We will continue this trend in 2021, while allowing firms the flexibility to test from Primary or DR depending on what is most valuable to them.
- Organizing the industry test in parallel with Reg SCI testing was valuable for test participants, and will be continued in 2022.
- Several new entities came into service as Reg SCI entities, and joined the Reg SCI testing program; our goal is to make sure that our testing program covers the full scope of Reg SCI entities

Inquires About the SIFMA Test

Inquiries about the test may be directed to:
Charles De Simone
Vice President
SIFMA
120 Broadway, 35th floor, New York, NY 10271
212-313-1262
cdesimone@sifma.org

Futures Industry Test

For information about the Futures test led by Futures Industry Association, see
<https://bcp.fia.org>

Appendix A

PARTICIPATING MARKET ORGANIZATIONS

Equities

BIDS Trading
Cboe BYX
Cboe BZX
Cboe EDGA
Cboe EDGX
NYSE-Chicago
Dealerweb ATS
IEX
Long Term Stock Exchange
MIAX Pearl Equities
NASDAQ
Nasdaq BX
Nasdaq PSX
NYSE (CLASSIC)
NYSE ARCA
NYSE MKT (AMEX)
OTC Link ATS
UBS ATS
Fixed Income
BrokerTec CME Group
Dealerweb - IDB
Nasdaq Fixed Income
TP-ICAP
Tullett Prebon - IDB
BGC Partners
Bloomberg TOMS
BondDesk
MarketAxess
ICE TMC Bonds
TradeWeb
Trumid
BNY Mellon – Clearing Bank
CDCC

Options

BOX Options Exchange
Chicago Board Options Exchange
Cboe BZX Options
CBOE C2 Options
Cboe EDGX Options
MIAX Options
MIAX Emerald
MIAX Pearl
Montreal Exchange
Nasdaq BX Options
Nasdaq GEMX
Nasdaq ISE
Nasdaq MRX
Nasdaq Options Market
Nasdaq PHLX
NYSE AMEX
NYSE/ARCA
The Options Clearing Corporation
CDCC
US Treasury
Treasury Auctions
FedTrade
Payments
CHIPS
SWIFT
Market Data
Bloomberg
Factset
Fidessa
ICE Data Services/eSignal
ICE Data Services/Interactive Data
OTC Markets Group

Refinitiv
SIX Financial Information

Equity & Fixed Income Clearing

DTCC

Service Bureaus

Broadridge BPO
Broadridge BPS
Broadridge ICI
Fidessa
FIS Phase 3
FIS Valdi
FlexTrade Systems
LavaFlow ECN
Matrix Applications
Refinitiv BETA
Shadow Financial Systems
SS&C Technologies (Lightning)

FX

Bloomberg FXGO
Thomson Reuters FXall
Traiana

Regulatory & Trade Reporting Venues

FINRA
FINRA CAT
MSRB